



Open lifting platform UnaPorte:

Platform size: 1400x1100mm
 Load capacity: 385kg
 Car color: Standard RAL 9022
 Lifting column color: Anodized aluminum
 2x radio wall mounted call stations incl. key switch
 driving speed: 0,15m/sec.

Configuration:

- Car door:
- DIN-L
 - DIN-R
 - automatic door operator
- Lifting column door:
- DIN-L
 - DIN-R
 - automatic door operator
- outdoor installation
 - indirekte RGB LED Beleuchtung im Fahrkorb
 - emergency call function with GSM speech connection
 - SMS remote enquiry incl. emergency call via GSM voice connection
 - Euro-Key for call station or on-board control
 - voice output
 - automatic uninterrupted power supply
 - rear wall cladding for lifting column
 - safety contact strip on the column
 - shorten ramp at upper landing
 - on-board control on both sides of the car
 - extended access ramp on car
 - column for call station

- ▷ Ready to use electrical power supply 230V 50Hz (L/N/PE with 2,5mm² cable cross-section) to liftn column. Additional free cable length from cabinet min. 1,5m. The electrical connection of the supply line must be checked by a specialist after installation in accordance with current standards and regional regulations and is only approved for provisional operation.
- ▷ Residual Current Circuit Breaker (RCCD), 2 different versions are possible:
 - ▷ Operation with all-current sensitive RCD (type B), with a rated residual current I_n of 30 mA, suitable for operation with frequency converter; rated current 40A. In addition, a separate line protection 16A type "C" must be provided for the lift system.
 - ▷ Operation without RCD directly on line protection 16A type "C". The electrical connection must at least fulfil the zeroing conditions.
- ▷ Frost-proof strip foundation or similarly load-bearing substrate directly underneath the lifting column. Concrete strength class C20, dimensions, position and bearing forces as per factory drawing.
- ▷ Two anchoring possibilities at the upper stop. See drawing for position and forces
- ▷ In addition, the "on-site requirements UnaPorte" apply in the current version.

| | | | | |
|--|------------|----------------------------|---|-----------------|
| Dateiname des Zeichnungsobjektes: UP_MUSTERZEICHNUNG | | Dateityp: ASSEM | Dateiname der Zeichnung: UP_MUSTERZEICHNUNG | |
| Allgemeintol. DIN ISO 2768-m-H | | Kanten DIN ISO 13715 | Maßstab 1:30 | Gew.:7204.914kg |
| Datum | | Name | Benennung: Ascendor Sample Drawing UnaPorte | |
| Bear. | 01.09.2021 | Schönberger | | |
| Gepr. | | | | |
| Norm | | | | |
| Zust. | | Änderung | Datum | Nam. (Urspr.) |
| | | | (Ers.f.) | (Ers.d.) |
| ascendor® LIFTTECHNIK | | | Zeichnungsnummer: Musterzeichnung | |
| | | | Blatt2 2 Bl. | |